

TECHNICAL REQUIREMENTS:

Design standard: AS/NZS 1841:5

Stored Pressure: 1000KPa

Working Pressure: 1000KPa


Charge: ABC multi-purpose dry powder

Material: Steel

Finish: Epoxy polyester glossy red

Nozzle Material: Nylon 6

Valve: Nickel plated brass




- 1 Valve Assembly
- 2 Tamper Seal
- 3 Pressure Gauge
- 4 Cylinder
- 5 Pick-Up-Tube (199mm)
- 6 Bracket
- 7 Nozzle




TECHNICAL REQUIREMENTS:

Design standard: AS/NZS 1841:5
 Stored Pressure: 1400KPa
 Working Pressure: 1400KPa
 Charge: ABC multi-purpose dry powder
 Material: Steel
 Finish: Epoxy polyester glossy red
 Hose Material: EPDM




- 1 Valve Assembly
- 2 Tamper Seal
- 3 Pressure Gauge
- 4 Cylinder
- 5 Pick-Up-Tube (240mm)
- 6 Bracket
- 7 Strap
- 8 Hose Assembly
- 9 Tag
- 10 Hose Catch
- 11 Nozzle Cap
- 12 Wall Bracket



TECHNICAL REQUIREMENTS:

Design standard: AS/NZS 1841:5
 Stored Pressure: 1400KPa
 Working Pressure: 1400KPa
 Charge: ABC multi-purpose dry powder
 Material: Steel
 Finish: Epoxy polyester glossy red
 Hose Material: EPDM



- 1 Valve Assembly
- 2 Tamper Seal
- 3 Pressure Gauge
- 4 Cylinder
- 5 Pick-Up-Tube (340mm)
- 6 Strap
- 7 Hose Assembly
- 8 Tag
- 9 Hose Catch
- 10 Nozzle Cap
- 11 Wall Bracket

