





# First Response Home Fire Cart

Protect your property with a fire fighting package that aids in extinguishing a fire or helping to control it until the fire service arrives. The First response home fire cart is ideal for use on buildings, brush, and wooded areas. Use any nearby stream, pond, pool, or shallow well for your water source. As an optional extra it can be supplied with a tank adaptor that fits onto a standard tank fire fitting and directly onto the suction hose.

### Standard kit comes with:

- Honda Powered FKT Yellow twin impeller pump Honda
- 250kg High Sided Trolley
- 38mm Industrial hose complete with quick connect couplings
- 5m length of suction hose complete with camlock fittings
- 5m length of suction hose complete with camlock fittings
- Scotty Fog/Straight Stream Nozzle with D-Handle pistol grip shut offs
- 5 litre jug

PSL Fire & Safety 10 Akatea Road Glendene, Auckland 0602

Phone +64 9 818 8048

sales@pslfireandsafety.co.nz





# Standard Kit Included

SKU: 091000



### 250kg High Sided Steel Trolley

SKU: P8508

- 330 125mm ball race pheumatic tyres Welded steel rims
- Powder coated 40kg wieght
- 1215mm L x 615mm W x 660mm H (1030mm handle height)



### 5lt Water Jug SKU: P8510

5 litre jug which holds sufficent water to fill the pump to enable priming.



# Honda GX160 powered FKT Yellow twin impellor pump

SKU: P9589

- 4.8HP 300lpm 90m head Quick connect out let fitting
- Male 38mnm camlock inlet fitting Auto low oil cut off



# Suction Hose PVC 38mm x 5m complete with Camlock fittings

SKU: 091002

The PVC Plasticised hose has an incorporated spiral reinforcement of anti-shock rigid PVC comes complete coupled with camlock fittings.



### 64mm Brass check Valve with stainless steel strainer complete with a female camlock fitting

SKU: P8509



# Industrial Hose 38mm x 30m Complete with Quick connect couplings

SKU: 091001

Great general purpose fire hose, rubber lined with a high tenacity polyester yarn outer covering. Suitable for industrial and rural fire brigades, military, static building protection, commercial and civil engineering.



# Scotty Fog/Straight Stream Nozzle with D-Handle pistol grip shut offs

SKU: 4037-30

- Flow of 55—185LPM Suitable for bush and scrub fires
- Comes complete with quick connect couplings



# **Optional Extras**



### **Tank Adaptor Kit**

#### SKU: 60296

Adaptor 100mm Male Round Thread to 38mm Female camlock Fits to a standard water tank fitting (Female round thread) and to the suction hose



### Scotty Squall Wall

#### SKU: 4056-15BF

Creates a wall of water to help wet and protect. Can create a wall of water 40 feet wide and 20 feet high



# Flamefighter III 2.5kg ABE Dry Powder Fire Extinguisher

#### SKU: 18413

FlameFighter ABE Dry Powder Fire Extinguishers are for extinguishing the following types of fires (Wood,paper & plastic, Flammable and combustible Liquids, and Energised Electrical Equipment).



### **Heavy Duty Brackets 2.5kg ABE**

#### SKU: 8430-4

Brackets are manufactured from mild steel and powder coated this ensures protection from external elements. The Heavy duty brackets also have rubber buffers positioned to ensure reduced damage to the extinguisher.



### 38mm F-Camlock to 75mm Male Camlock

#### SKU: 60298

The 38mm Female camlock to 75mm Male camlock adaptor provides a quick and easy hose connection. Its simple joining system makes it well-suited to situations calling for these size camlocks. The strong connector is made Light Alloy that has high resistance to abrasion and rusting for a long service life.